



## Red Top 480532

### Facet Fuel Pump Red Top:

Competition fuel pump with the following specifications

Voltage:- 12v

Earth:- Neg

Pressure (Psi):- 6.0-8.0

Flow:- US Gallons/Hr 40

Dry Prime Height in Mtrs:- 40

Thread Size:- 1/4 npt

Operating Temperature:- -40° to +180° F (all Models)

Length:-140mm

Diameter:- 54mm

## Silver Top 476087

### Facet Fuel Pump Silver Top:

Specification:- Road

Pump:- 476087E

Voltage:- 12v

Earth:- Neg

Pressure (Psi):- 4.0-5.5

Flow:- US Gallons/Hr 30

Dry Prime Height in Mtrs:- 0.6

Thread Size:- 1/8th nptf

Operating Temperature:- -40° to +180° F (all Models)

Legal Requirements:- Certified & Complies With EEC 95/54 Requirements

Length:-140mm

Diameter:- 54mm

Weight:-0.7kg

## Blue Top 480534

### Facet Fuel Pump Blu Top:

Specification:- Blue Top (Diesel / Petrol)

Earth:- Neg

Pressure (Psi):- 6.0-8.0

Flow:- US Gallons/Hr 40

Dry Prime Height in Mtrs:- 40

Thread Size:- 1/4 npt

Filter (Micron):- 400

Operating Temperature:- -40° to +180° F (all Models)

Legal Requirements:- Certified & Complies With EEC 95/54 Requirements

Length:-140mm

Diameter:- 54mm

Weight:-0.7kg

## Facet Solid 40105

### Facet Fuel Pump Solid :

Specification:- Road

Pump:- 40105

Voltage:- 12v

Earth:- Neg

Pressure (Psi):- 3.0-4.5

Flow:- US Gallons/Hr 30

Dry Prime Height in Mtrs:- 0.3

Thread Size:- 1/8th nptf

Positive Shut-Off Valve:- No


Check Valve:- No

Operating Temperature:- -40° F to +180° F

Length:- 75mm

Height:- 60mm

Weight:-0.5kg





**WWW.TECNO2.COM**

## WFP501

### ELECTRIC FUEL PUMP 5-9 PSI

Electric Fuel Pump

Attributes

Type Solenoid

Volts 12

Inlet Type Strainer

Outlet Size 5/16 in.

Outlet Type Hose Bead

GPH (Free Flow) 30

Max Pump PSI (Not System) 5-9

UPC 080044089926

## WFP502

### ELECTRIC FUEL PUMP 2.5-4.5 PSI

Electric Fuel Pump

Attributes

Type Solenoid

Volts 12

Inlet Type Strainer

Outlet Size 5/16 in.

Outlet Type Hose Bead

GPH (Free Flow) 30

Max Pump PSI (Not System) 2.5-4.5

UPC 080044089940

